FIG.1




FIG.2




FIG.3




FIG.4

71 ∼∕	72 √	73 √	74 ~/	75 /
MAC ADDRESS	ROOM NUMBER	TOTAL COMMUNI- CATION EXTENT	RATIO TO TOTAL COMMUNI- CATION EXTENT OF ALL ROOMS	FEE
EXAMPLE: 11.22.33.44.55.66	EXAMPLE: 101	EXAMPLE: 161 KByte	EXAMPLE: 1%	EXAMPLE: ¥1500
EXAMPLE: 22.33.44.55.66.77	EXAMPLE: 102	EXAMPLE: 680 KByte	EXAMPLE: 1%	EXAMPLE: ¥1500

FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10

WIRELESS LAN BASE STATION




FIG.11




FIG.12

WIRELESS TERMINAL




FIG.13




FIG.14

81 ~ J	82 ~	83 ~	84 ~	85 ~	86 ~/
MAC ADDRESS	ROOM NUMBER	TIME ZONE	MAXIMUM COMMUNI- CATION BANDS IN THE TIME ZONES	RATIO TO TOTAL COMMUNI- CATION EXTENT OF ALL ROOMS	FEE
EXAMPLE: 11.22.33.44.55.66	EXAMPLE: 101	EXAMPLE: 03:00-07:00 07:00-10:00 10:00-00:00	EXAMPLE: 161KByte	EXAMPLE: 1%	EXAMPLE: ¥1500
EXAMPLE: 22.33.44.55.66.77	EXAMPLE: 102	EXAMPLE: 03:00-07:00 07:00-10:00 10:00-00:00	EXAMPLE: 680KByte	EXAMPLE: 1%	EXAMPLE: ¥1500